



Welltech are renowned for quality solutions, so after years of research into pipe plugs we have aligned ourselves in partnership with one of the world's best manufacturers, LAMPE GmbH. As the exclusive Australian national distributor, we are proud to offer a full inventory of these world leading pipe plugs.

Lampe Pipe Plugs

Why Lampe Pipe Plugs:

- No manhole access required, simply lower, float into the pipe and inflate;
- No additional bracing necessary;
- Suited to all pipe cross sections from round pipes to oval, kite and throat profiles, open top and box profiles, even as far as rectangular box curvets;
- Made of neoprene rather than rubber, these plugs provide an extremely long service life compared to conventional pipe plugs;
- One device, many different diameters - 150mm up to 3,600mm;
- Repairable and reusable unlike most conventional pipe plugs once damaged in most cases cannot be used again;
- Lightweight and compact design making them easily folded and handled into all access chambers;
- Regarded as the safest and most economical pipe plug when compared to conventional stretchable pipe plugs or bladders;
- Our fast, highly skilled teams are available to mobilise our in-house fleet at a moment's notice;
- You can be assured we will deliver as promised and you will be supported by Welltech's guarantee of *Commitment = Satisfaction*.

LAMPE Sewer Sealing Cushion




No loss of contact due to pressure drop

Verses

Conventional pipe plug



Loss of contact due to pressure drop



Click here to view this revolutionary pipe plug in action.




Delivering innovative solutions that work

Commitment = Satisfaction

Double-Cone Sewer Sealing Cushions

Working pressure: 1 bar, max. back pressure: 5m water water column (0.5 bar) or 0.2 bar air

(If leakage testing is intended or use in lines with non-circular cross-sections, cushions must be ordered with special sealing).

Type	Diameters from	Diameters to	Installation length	Art.-No. with special sealing	Weight in kg	Art.-No. with bypass and special sealing	Weight in kg	Contact Welltech for your selection 
1-150	90 mm	150 mm	60 cm	76312	0.9 kg	-	-	
1-400	150 mm	400 mm	105 cm	76327	2.4 kg	76329	4.1 kg	
1-600	250 mm	600 mm	140 cm	76337	4.7 kg	76339	15 kg	
1-800	300 mm	800 mm	185 cm	76342	8.2 kg	76344	19.7 kg	
1-1000	400 mm	1.000 mm	225 cm	76347	12.6 kg	76349	25.2 kg	
1-1200	500 mm	1.200 mm	230 cm	76352	20.2 kg	76354	32.7 kg	
1-1400	500 mm	1.400 mm	305 cm	76357	29.4 kg	76359	43.9 kg	
1-1500	500 mm	1.500 mm	315 cm	76366	30.7 kg	76368	45.5 kg	
1-1600	600 mm	1.600 mm	330 cm	76362	35.1 kg	76364	50.3 kg	
1-1800	1.000 mm	1.800 mm	365 cm	76372	73.7 kg	76374	86.7 kg	
1-2200	1.000 mm	2.200 mm	455 cm	76377	93.2 kg	76379	112 kg	
1-2400	1.200 mm	2.400 mm	470 cm	76386	111 kg	76387	130 kg	
1-2800	1.500 mm	2.800 mm	490 cm	76392	137 kg	76394	157 kg	
1-3200*	1.800 mm	3.200 mm	550 cm	76397	192 kg	76399	214 kg	
1-3600*	2.200 mm	3.600 mm	600 cm	76382	231 kg	76384	254 kg	

*Working pressure: 0.7 bar, max. back pressure: 3m water column (0.3bar)

Double-Cone Sewer Sealing Cushions

Working pressure: 2 bar, max. back pressure: 10m water column (1.0 bar) or 0.2 bar air

2-150	90 mm	150 mm	60 cm	76412	1.3 kg	-	-	
2-400	150 mm	400 mm	105 cm	76427	3.3 kg	76429	5 kg	
2-600	250 mm	600 mm	140 cm	76437	6.7 kg	76439	17 kg	
2-800	300 mm	800 mm	185 cm	76442	11 kg	76444	22.5 kg	
2-1000	400 mm	1.000 mm	225 cm	76447	17.5 kg	76449	30.1 kg	
2-1200	500 mm	1.200 mm	230 cm	76452	25.1 kg	76454	37.6 kg	

David Henderson

For over 25 years, David has been providing workable solutions in an industry that requires absolute commitment.

David takes full accountability and responsibility for each and every project, ensuring company values and promises are kept. This gives our clients confidence that we will make decisions and will provide answers when they need them.

David's training in project and contracts management delivers peace of mind that Welltech and our clients are all on the same page with a clear understanding of strict deadlines, as well as project compliance duties and responsibilities.



"If you can't find a solution elsewhere, you will find it here – guaranteed".

From an ambitious dream to reality.

Once committed, Welltech are renowned for being finishers.

"Our unwavering dedication and commitment to achieve the very best, drives us relentlessly towards the ever moving goal of absolute perfection."

CEO David Henderson

Commitment = Satisfaction

CONTACT US ANYTIME

Welltech

+61 8 9353 1366

David Henderson

(Solutions) 0407 544 196

Dean Golding (Operations)

0407 004 392

Zak Haines (Technical)

0451 057 567



National Head Office

61 Baile Road
Canning Vale, WA 6155
+61 8 9353 1366

welltech.com.au